

Hook & Eye Anchors



JMC Code	Size	Qty.	Barcode
Eye bolt only			
085005000	M6x50	50	5028485850014
085008001	M8x60	50	5028485850038
085011000	M10x80	25	5028485850052

JMC Code	Size	Qty.	Barcode
Eye Anchor			
085006000	M6x50	25	5391193242151
085008000	M8x60	25	5391193242168
085010000	M10x80	10	5391193242205
085012000	M12x90	10	5391193242212

JMC Code	Size	Qty.	Barcode
Hook Anchor			
086006000	M6x50	25	5028485850090
086008000	M8x60	25	5028485850113
086010000	M10x80	10	5028485850137
086012000	M12x90	10	5028485850151

Through Bolts

Stainless Steel

JMC Code	Size	Drill	Qty.	Barcode
578010060	M10x60	10mm	50	-
578010080	M10x80	10mm	50	5391193226052

Economy Range

JMC Code	Size	Drill	Qty.	Barcode
577006070	M6x70	6mm	100	5391193225239
577006090	M6x100	6mm	100	5391193225253
577008065	M8x65	8mm	100	5391193225291
577008076	M8x75	8mm	100	5391193225291
577008110	M8x110	8mm	50	5391193225352
577008130	M8x130	8mm	50	5391193225383
577010070	M10x70	10mm	50	5391193225437
577010081	M10x80	10mm	50	5391193225451
577010110	M10x110	10mm	50	5391193225376
577010126	M10x125	10mm	25	5391193225529
577010150	M10x150	10mm	25	5391193225512
577012076	M12x75	12mm	25	5391193225574
577012101	M12x100	12mm	25	5391193225611
577012126	M12x125	12mm	25	5391193225628
577012140	M12x140	12mm	25	5391193225666
577012151	M12x150	12mm	25	5391193225659
577012181	M12x180	12mm	25	5391193225710
577016090	M16x90	16mm	20	5391193225772
577016105	M16x105	16mm	25	5391193225765
577016111	M16x110	16mm	10	5391193225802
577016125	M16x125	16mm	25	5391193225826
577016151	M16x150	16mm	10	5391193225864
577016181	M16x180	16mm	10	5391193225895
577020020	M16x200	16mm	10	5391193225918
577020125	M20x130	20mm	10	5391193225949
577020171	M20x170	20mm	10	5391193225956
577020220	M20x220	20mm	10	5391193225987
577020215	M20x205	20mm	5	5391193225970



GENERAL USES

High performance torque controlled expansion anchor suitable for concrete (non cracked concrete) and some natural stone.

FEATURES

- Chamfered head protects thread.
- Complete, assembled and ready for use.
- Available in Zinc plated (3-5microns) and HDG finishes.
- Special expansion clip for rapid installation

BZP, CE Approved

JMC Code	Size	Drill	Qty.	Barcode
577006040	M6x40	6mm	100	5391193225192
577006067	M6x67	6mm	100	5391193225222
577008050	M8x50/55	8mm	100	5391193242489
577008075	M8x75	8mm	100	5391193225314
577008095	M8x95	8mm	100	5391193225345
577008120	M8x120	8mm	50	5391193225376
577008150	M8x150	8mm	50	5391193225390
577010060	M10x60	10mm	50	5391193225420
577010085	M10x85	10mm	50	5391193225468
577010105	M10x105	10mm	50	5391193225499
577010125	M10x125	10mm	50	5391193225512
577010145	M10x145	10mm	50	5391193225536
577012075	M12x75	12mm	25	5391193225567
577012095	M12x95	12mm	25	5391193225604
577012115	M12x115	12mm	25	5391193225635
577012145	M12x145	12mm	25	5391193225673
577012180	M12x180	12mm	25	5391193225703
577016110	M16x110	16mm	25	5391193225796
577016115	M16x115	16mm	20	5391193242281
577016130	M16x130	16mm	20	5391193242298
577016150	M16x150	16mm	20	5391193225857
577016180	M16x180	16mm	20	5391193225888
577016200	M16x200	16mm	10	5391193225901
577020120	M20x120	20mm	10	5391193225932
577020180	M20x180	20mm	10	5391193225963
577020205	M20x205	20mm	10	5391193242304
577020240	M20x240	20mm	10	5391193225994

Loose Bolt Shield Anchors

GENERAL USES

Traditional expansion anchor with 4 piece segmented body and captive expansion cone for all variants. For most solid masonry types.

FEATURES

- 4 segments/ indented top ferrule and captive expansion cone prevents the anchor from falling apart.
- Versatile projecting bolt version with all thread stud.
- Thread size marked on body, hole size marked on ferrule.
- Zinc plated (3-5 microns)



JMC Code	Size	Drill	Qty.	Barcode
341006010	M6x10 (6x60)	12mm	100	5391193193033
341006025	M6x25 (6x80)	12mm	100	5391193193040
341006040	M6x40 (6x110)	12mm	50	5391193197130
341008010	M8x10 (8x70)	14mm	50	5391193193057
341008025	M8x25 (8x90)	14mm	50	5391193193064

JMC Code	Size	Drill	Qty.	Barcode
341008040	M8x40 (8x100)	14mm	50	5391193193071
341010010	M10x10 (10x10)	16mm	25	5391193193088
341010025	M10x25 (10x90)	16mm	25	5391193193095
341010050	M10x50 (10x110)	16mm	25	5391193193101
341010075	M10x75 (10x140)	16mm	25	5391193197147
341012010	M12x10 (12x90)	20mm	25	5391193193118
341012025	M12x25 (12x100)	20mm	25	5391193193125
341012040	M12x40 (12x120)	20mm	25	5391193197154
341012060	M12x60 (12x140)	20mm	25	5391193197161
341016020	M16x20	25mm	10	5391193197178
341016060	M16x60	-	-	5391193216541

Stud Projecting Shield Anchors

GENERAL USES

Traditional expansion anchor with 4 piece segmented body and captive expansion cone for all variants. For most solid masonry types.

FEATURES

- 4 segments/ indented top ferrule and captive expansion cone prevents the anchor from falling apart.
- Versatile projecting bolt version with all thread stud.
- Thread size marked on body, hole size marked on ferrule.
- Zinc plated (3-5 microns)



JMC Code	Size	Drill	Qty.	Barcode
342006010	M6x10 (6x60)	12mm	50	5391193197185
342006025	M6x25 (6x80)	12mm	50	5391193193132
342006050	M6x50 (6x110)	12mm	50	5391193197192
342008015	M8x15 (8x100)	14mm	50	5391193197208
342008025	M8x25 (8x90)	14mm	50	5391193193149
342008040	M8x40 (8x100)	14mm	50	5391193197215

JMC Code	Size	Drill	Qty.	Barcode
342008060	M8x60 (8x140)	14mm	50	5391193303791
342008080	M8x80	14mm	25	5391193197222
342010010	M10x10 (10x90)	16mm	25	5391193193156
342010030	M10x30 (10x100)	16mm	25	5391193193163
342010050	M10x50 (10x110)	16mm	25	5391193193170
342010090	M10x90		25	5391193216565
342012015	M12x15 (12x100)	20mm	25	5391193193187
342012030	M12x30 (12x120)	20mm	25	5391193193194
342012050	M12x50 (12x110)	20mm	25	5391193197239
342012065	M12x65	20mm	10	5391193193200
342016015	M16x15 (16x145)	25mm	10	5391193197246
342016030	M16x30 (16x150)	25mm	10	5391193197253
342016045	M16x45	25mm	10	5391193197260

Shield Anchors, Sleeves Only



JMC Code	Size	Qty.	Barcode
804006000	M6	50	5391193239175
804008000	M8	50	5391193224935
804010000	M10	25	5391193224942
804012000	M12	25	5391193224959
804016000	M16	10	5391193239182

Wire Hanger

JMC Code	Size	Qty.	Barcode
579006000	M6x60	100	5391193226106



Metal Cavity Anchors

GENERAL USES

Used to fix items where there is a cavity behind the surface.

FEATURES

- Combination head on the screw to accept both slot and cross recess screw drivers.
- 2 anti-rotation teeth prevent the anchor from spinning.
- Strengthened anchor wings give maximum load capacity.
- Bonded washer with integral thread for increased reliability.
- Spring loaded setting tool gives fast and reliable repetitive fixing.



JMC Code	Size	Drill	Wall Thickness	Qty.	Barcode
364004032	M4x32	7mm	2-6mm	100	5391193104077
364004038	M4x38	7mm	2-13mm	100	5391193197826
364005035	M5x37	8mm	6-13mm	100	5391193191954
364005052	M5x52	8mm	3-16mm	100	5391193191961
364005065	M5x65	8mm	14-32mm	100	5391193192524
364006032	M6x52	10mm	3-16mm	100	5391193193002
364006037	M6x37	10mm	6-13mm	100	5391193192531
364006065	M6x65	10mm	14-32mm	100	5391193192548

Hex Head Screw Bolts / APT Anchors

THUNDERBOLT Eye Bolt

JMC Code	Size	Qty.	Barcode
191006050	M6x50	100	-
191008060	M8x60	100	-

Serbo Bolt

JMC Code	Size	Qty.	Barcode
192106050	M6x50	100	5050420616447
192106075	M6x75	100	5050420616454
192106100	M6x100	100	5050420616461
192108060	M8x60	100	5050420616225
192108075	M8x75	100	5050420616232
192108100	M8x100	100	5050420616249
192110060	M10x60	50	5050420616270
192110075	M10x75	50	5050420616287
192110100	M10x100	50	5050420616294
192110150	M10x150	50	5050420616317
192112075	M12x75	50	5050420616324
192112100	M12x100	25	5050420616331
192112130	M12x130	25	5050420616348
192112150	M12x150	25	5050420616355
192112200	M12x200	20	5050420616362



THUNDERBOLT Bolt

JMC Code	Size	Qty.	Barcode
192006050	M6x50	100	5391193205873
192006075	M6x75	100	5391193304125
192006100	M6x100	100	5391193205880
192006150	M6x150	100	5014196311371
192008060	M8x60	100	5391193205897
192008075	M8x75	100	5391193205903
192008100	M8x100	100	5391193205910
192008130	M8x130	50	5014196311418
192008150	M8x150	50	5014196311425
192010060	M10x60	50	5391193205927
192010075	M10x75	50	5391193205934
192010100	M10x100	50	5391193205941
192010130	M10x130	25	5014196311463
192010150	M10x150	25	5391193205958
192012075	M12x75	50	5391193205965
192012100	M12x100	50	5391193205972
192012130	M12x130	25	5391193205989
192012150	M12x150	20	5391193205996
192012200	M12x200	20	5391193206009
192016100	M16x100	10	5391193206016
192016150	M16x150	10	5391193206023

Ceiling Anchor

JMC Code	Size	Qty.	Barcode
579006040	M6x40	100	5391193104794



Zamac Nailin

JMC Code	Size	Qty.	Barcode
579006050	M6x50	100	5391193232589



Anchor Gun

JMC Code	Description	Barcode
364100000	Metal Cavity Anchor GUN	5391193226106



Sleeve Anchors

GENERAL USES

Thin walled torque controlled expansion anchor for light to medium duty applications.



Bolt Type

JMC Code	Size	Drill	Qty.	Barcode
355008046	M8x45	8mm	100	5391193197345
355008058/60	M8x60	8mm	100	5391193197352
355010048	M10x48	10mm	50	5391193197369
355010049	M10x50	10mm	50	5391193197376
355010058/60	M10x60	10mm	50	5391193197383
355010077/80	M10x80	10mm	50	5391193197390
355010101	M10x100	10mm	50	5391193197406
355012058	M12x58	12mm	50	5391193197420
355265070	M12x70	12mm	50	5391193197482
355012076	M12x75	12mm	25	5391193197437
355298100	M12x100	12mm	50	5391193197499
355012130	M12x129	12mm	25	5391193197444
356016075	M16x75	16mm	25	5391193197710
355016111	M16x110	16mm	20	5391193197468
355016120	M16x120	16mm	20	5391193197475

FEATURES

- Through fixing for masonry: suitable for brick, block and concrete
- Range of popular sizes
- Drill diameter same as anchor diameter
- Fully assembled and ready to use
- Zinc plated (3-5 microns)



Nut Type

JMC Code	Size	Drill	Qty.	Barcode
356008040	M8x40	8mm	50	5391193197536
356008065	M8x65	8mm	50	5391193197543
356008092	M8x92	8mm	50	5391193197567
356010050	M10x50	10mm	50	5391193197581
356010077	M10x77	10mm	50	5391193197604
356010097	M10x97	10mm	50	5391193197628
356012058	M12x58	12mm	25	5391193197642
356012075	M12x75	12mm	50	5391193197666
356012099	M12x99	12mm	50	5391193197680
356012129	M12x129	12mm	25	5391193197697
356016065	M16x65	16mm	25	5391193197703
356016110	M16x111	16mm	10	5391193197741
356016147	M16x147	16mm	10	5391193197758
356020151	M20x151	20mm	10	5391193197789

Express Nails



GENERAL USES

For fixing items to concrete, marble, brickwork, stone, brickwork

FEATURES

- No additional plugging or screwing
- Suitable for overhead assemblies of insulations
- Fastening of battens underconstruction for interior fittings
- Insulation fixings

JMC Code	Size	Drill	Qty.	Barcode
340006040	M6x40	6mm	100	5391193100925
340006050	M6x50	6mm	100	5391193100932
340006060	M6x60	6mm	100	5391193100949
340006080	M6x80	6mm	100	5391193100956
340006100	M6x100	6mm	100	5391193197123
340008070	M8x70	8mm	100	5391193100963
340008090	M8x90	8mm	100	5391193100970
340008110	M8x110	8mm	100	5391193100987
340008130	M8x130	8mm	100	5391193100994
340008150	M8x150	8mm	100	5391193101007
340008180	M8x180	8mm	100	5391193101014

Wedge / Drop In Anchors

GENERAL USES

Forced expansion hammer set anchor. Used with a setting tool.

FEATURES

- Internally threaded.
- Shallow embedment.
- Plated in zinc 3-5 microns.



JMC Code	Size	Drill	Qty.	Barcode
354006000	M6	6mm	100	5391193192661
354008000	M8	8mm	100	5391193192517
354010000	M10	10mm	50	5391193104633
354012000	M12	12mm	50	5391193104640
354016000	M16	16mm	25	5391193192678
354020000	M20	20mm	25	5391193197314

Metal Frame Fixing

JMC Code	Size	Drill	Qty.	Barcode
350010072	M10x72	10mm	100	5391193101915
350010092	M10x92	10mm	100	5391193101922
350010112	M10x112	10mm	100	5391193101939
350010132	M10x132	10mm	100	5391193101946
350010152	M10x152	10mm	100	5391193101953



GENERAL USES

Expansion through fixing for frames, timber assemblies and structures, battens, and sections to concrete and masonry, prevents frame distortion on tightening, high strength anchor suitable for high tension and shear loading.

FEATURES

- Fire resistant
- Easily assembled
- Easy adjustment
- Recessed-screw for Pozi and Philips screw driver

Countersunk Nylon Hammer Fixing

JMC Code	Size	Drill	Qty.	Barcode
098005030	M5x30	5mm	200	5391193243158
098005040	M5x40	5mm	200	5391193250460
098005050	M5x50	5mm	200	5391193243165
098006032	M6x30	6mm	200	5391193245985
098006045	M6x40	6mm	100	5391193102769
098006050	M6x50	6mm	100	5391193243196
098006060	M6x60	6mm	100	5391193102776
098006080	M6x80	6mm	100	5391193102783
098006100	M6x100	6mm	100	5391193192272



JMC Code	Size	Drill	Qty.	Barcode
098008060	M8x60	8mm	100	5391193102790
098008080	M8x80	8mm	100	5391193102806
098008100	M8x100	8mm	100	5391193102813
098008120	M8x120	8mm	100	5391193102820

GENERAL USES

For quick and easy fix into solid brick or masonry.

FEATURES

- Specifically designed hammer thread to give a fast and secure fixing
- Strengthened screw head to prevent head and recess damage
- Indented slots in the nylon sleeve to give enhanced expansion

Countersunk Nylon Frame Fixing

JMC Code	Size	Drill	Qty.	Barcode
098010060	M10x60	10mm	50	5391193104084
098010080	M10x80	10mm	50	5391193192777
098010100	M10x100	10mm	50	5391193102837
098010115	M10x115	10mm	50	5391193104091



JMC Code	Size	Drill	Qty.	Barcode
098010135	M10x135	10mm	50	5391193104107
098010160	M10x160	10mm	50	5391193102868

Spring Toggle

GENERAL USES

For fixings of shelves, cable channels, cavity brick ceilings, curtain rail fixings, lamps and chipboards

FEATURES

- Wings open independently
- Fire resistant
- Easily assembled



JMC Code	Size	Drill	Qty.	Barcode
596003050	M3x50	3mm	100	5391193222832
596005050	M5x50	5mm	100	5391193222849
596005075	M5x75	5mm	100	5391193222856
596005075/80	M5x75/80	5mm	100	5391193222863
596006050	M6x50	6mm	100	5391193222870
596006075/80	M6x75/80	6mm	100	5391193238789

Plasterboard Fixings



KAVIT



Nylon



DODA

JMC Code	Description	Qty.	Barcode
580000000	KAVIT Zinc Alloy	100	5391193197277
580000100	Nylon	100	5391193197284
580000200	DODA Metal Board Fixing	100	5391193197291

KAVIT ZINC ALLOY PLASTERBOARD FIXING

Rapid-assembly fixing for plasterboard.

Ideal for fixing lamps, skirting boards, switches, picture frames, cable ducts, cable clamps, curtain rails, wooden battens etc.

NYLON PLASTERBOARD FIXING

This plug provides a rapid and effective fixing in plasterboard, without the need for prior drilling.

DODA METAL BOARD FIXING

Self drill metal plasterboard fixing for light to medium fixtures that is easy to install. The collar design prevents fixing drilling into plasterboard, comes with screw for final fix.

Insulation Fixings



Nylon Rigid Insulation Support



Insulation Nail Support For Wood



Round Head Metal Support



Thermal Bridging Insulation Cap



Nylon Washer



Drywall Screw Washer

NYLON RIGID INSULATION SUPPORT

- For fastening rigid insulation to masonry.

INSULATION NAIL SUPPORT FOR WOOD

- For fixing insulation to wood.

ROUND HEAD METAL SUPPORT

- A rapid and simple to install all steel hammer fix insulation anchor suitable for use in concrete and all masonry
- Made of steel, high corrosion resistant, aluminium / zinc coated
- Suitable for heavy duty fixing all types of insulation boards

THERMAL BRIDGING INSULATION CAP

- Anti-thermal bridging cap.
- Use with insulation fixings to help prevent the affects of cold thermal bridge.

DRYWALL SCREW WASHER

- For use with dry wall screws

Nylon Rigid Insulation Support

JMC Code	Size	Qty.	Barcode
365008050	M8x50	100	5391193102455
365008070	M8x70	100	5391193102462
365008090	M8x90	100	5391193102479
365008110	M8x110	100	5391193102486
365008130	M8x130	100	5391193102493

Insulation Nail Support For Wood

JMC Code	Size	Qty.	Barcode
365091000	4.5x100	100	5391193219108

Round Head Metal Support

JMC Code	Size	Qty.	Barcode
369108060	M8x60	50	5391193197840
369108090	M8x90	50	5391193103964
369108110	M8x110	50	5391193103971
369108140	M8x140	50	5391193197857
369108170	M8x170	50	5391193197864

Thermal Bridging Insulation Cap

JMC Code	Size	Qty.	Barcode
3692000001	5.4x37x9.6	100	5391193300844

Nylon Washer

JMC Code	Size	Qty.	Barcode
365000001	35mm	200	5391193219023

Drywall Screw Washer

JMC Code	Size	Qty.	Barcode
369200000	35mm	100	5391193197871

Wall Plugs & Plug Strips

Tough, high density polythene plugs for secure wall fixings.

JMC Code	Size	Colour	Qty.	Barcode
Wall Plugs				
585005000	5mm	Yellow	100	5391193198175
585006000	6mm	Red	100	5391193222719
585008000	8mm	Brown	100	5391193222726
585010000	10mm	Blue	100	5391193222733



JMC Code	Size	Colour	Qty.	Barcode
Plug strips				
585100000	5x300mm	Yellow	100	5391193222764
585101000	6x300mm	Red	100	5391193222771
585102000	7x300mm	Brown	100	5391193222788
585103000	8x300mm	Blue	100	5391193222795
585105000	10x300mm	-	100	5391193101137

Large Nylon Plugs

JMC Code	Size	Drill	Qty.	Barcode
345008040	M8x40	8mm	50	5391193197277
345010060	M10x60	10mm	50	5391193197284



JMC Code	Size	Drill	Qty.	Barcode
345012060	M12x60	12mm	25	5391193197291
345014080	M14x80	14mm	25	5391193197307
345016080	M16x80	16mm	15	5391193216916

Fixing Band, Galvanised



JMC Code	Size	Barcode
805000012	12mm x 1mm x 10m	5391193224966
805000017	17mm x 1mm x 10m	5391193224973
805000025	25mm x 1mm x 10m	5391193224980

Hose Clips

Mini Hose Clips

JMC Code	Size	Qty.	Barcode
569000007	7mm	10	4043171807760
569000008	8mm	10	4043171807777
569000009	9mm	10	4043171807784
569000010	10mm	10	4043171807791
569000011	11mm	10	4043171807807
569000012	12mm	10	4043171807814
569000013	13mm	10	4043171807821
569000015	15mm	10	8426241399000
569000016	16mm	10	4043171807852

MIKALOR



Mini Hose Clip



Alzync Hose Clip



Robust Band Clamp



Stainless Steel Hose Clip



Thumbscrew Hose Clip

Alzync Hose Clips

JMC Code	Size	Qty.	Barcode
568009512	8x12mm	10	8426241445769
568011016	8x16mm	10	8426241445776
568013020	12x22mm	10	8426241445783
568018025	16x27mm	10	8426241393695
568022030	22x32mm	10	8426241393701
568025035	25x40mm	10	8426241393718
568035050	32x50mm	10	8426241393732
568045060	40x60mm	10	8426241393749
568055070	50x70mm	10	8426241393756
568060080	60x80mm	10	8426241393763
568070090	70x90mm	10	8426241393770
568080100	80x100mm	10	8426241393787
568090120	100x120mm	10	8426241393800
568110140	120x140mm	10	-
568140160	140x160mm	10	8426241393848
568160180	160x180mm	10	8426241392667
568180205	180x200mm	10	8426241392681
568205230	210x230mm	10	8426241392711
568230255	230x255mm	10	4043171788526
568255280	255x280mm	10	5013572422809
568280305	280x305mm	10	5013572423059

Thumbscrew Hose Clips

JMC Code	Size	Qty.	Barcode
570109012	9x12mm	10	4043171801973
570111016	11x16mm	10	4043171802147
570113020	13x20mm	10	4043171802161
570116022	16x22mm	10	4043171802192
570118025	18x25mm	10	4043171802888
570122030	22x30mm	10	4043171802963
570125035	25x35mm	10	4043171803045
570130040	30x40mm	10	4043171803120

GENERAL USES

Used to secure pipe, hose, tubing and mating circular parts together.

FEATURES

- Barb is smooth and free of nicks scratches & contamination
- Fully assembled and ready to use

Robust Band Clamps

JMC Code	Size	Qty.	Barcode
096023025	23x25mm	10	5391193250231
096026028	26x28mm	10	5391193242892
096029031	29x31mm	10	5391193250248
096032035	32x35mm	10	5391193242908
096036039	36x39mm	10	5391193250255
096040043	40x43mm	10	5391193242915
096044047	44x47mm	10	5391193250262
096048051	48x51mm	10	5391193242922
096052055	52x55mm	10	5391193250279
096056059	56x59mm	10	5391193242939
096060063	60x63mm	10	5391193250286
096064067	64x67mm	10	5391193242946
096068073	68x73mm	10	5391193250293
096074079	74x79mm	10	5391193242953
096080085	80x85mm	10	5391193250309
096086091	86x91mm	10	5391193250316
096092097	92x97mm	10	5391193242977
096080103	98x103mm	10	8426241441624
096020130	122x130mm	10	5391193242885
096104112	104x112mm	10	5391193250323
096113112	113x122mm	10	5391193242984
096131139	131x139mm	10	5391193250330
096140148	140x148mm	10	8426241141050
096149161	149x161mm	10	5391193250347
096162174	162x174mm	10	5391193242991
096175187	175x187mm	10	5391193250361
096188200	188x200mm	10	5391193243004
096201213	201x213mm	10	5391193250361
096227239	227x239mm	10	5391193250378
096240252	240x252mm	10	5391193243028

Stainless Steel Hose Clips

JMC Code	Size	Qty.	Barcode
567011016	8x16mm	10	8426241341825
567013020	12x22mm	10	8426241341849
567018025	16x27mm	10	8426241342884
567022030	20x32mm	10	8426241341832
56703040	25x40mm	10	8426241342393
567035050	32x50mm	10	8426241342419
567045060	40x60mm	10	8426241136667

Snap Over Pipe Clips

JMC Code	Size	Qty.	Barcode
611015000	15mm	100	5391193223440
611022000	22mm	100	5391193238819
611028000	28mm	100	5391193238826



White Nail In Pipe Clips

JMC Code	Size	Qty.	Barcode
612015000	15mm	100	5391193223488
612022000	22mm	100	5391193238833
612028000	28mm	100	5391193238857



Cable Clips

JMC Code	Size	Qty.	Barcode
Flat			
613002004	2x4mm	100	5391193223525
613003005	3x5mm	100	5391193223532
613005008	5x8mm	100	5391193223549
613006010	6x10mm	100	5391193238864
613007014	7x14mm	100	5391193238871
613009018	9x18mm	100	5391193238888



JMC Code	Size	Qty.	Barcode
Round			
614003005	3x5mm	100	5391193223587
614005007	5x7mm	100	5391193223594
614007010	7x10mm	100	5391193223600
614010014	10x14mm	100	5391193223617
614014020	14x20mm	100	5391193238895
614019024	19x24mm	100	5391193238918

Cable Ties



JMC Code	Size	Qty.	Barcode
Black			
615025100	2.5x100	100	5391193103469
615036140	3.6x140	100	5391193103476
615048160	4.6x160	100	5391193103483
615048200	4.8x200	100	5391193103506
615048295	4.8x300	100	5391193103513
615048370	4.8x370	100	5391193103520
615080450	7.6x450	100	5391193103544
615800091	7.6x550	100	5391193103575
615800092	7.2x380	100	5391193103582



JMC Code	Size	Qty.	Barcode
Clear			
616025100	2.5x100	100	5391193103599
616036140	3.6x140	100	5391193103605
616048159	4.6x160	100	5391193103612
616048200	4.8x200	100	5391193103636
616048295	4.8x295	100	5391193103643
616048380	4.8x380	100	5391193103667
616072380	7.6x380	100	5391193103674
616080450	8.0x450	100	5391193103711
616080550	8.0x550	100	5391193103728