



For over twenty three years, Rapiertstar has led the market in the design development and supply of technically advanced fixings and building maintenance solutions. Rapiertstar has a wide range of products that are tested to meet all the appropriate provisions of the relevant European Directives legislation.

Universal Woodscrew - Countersunk Pozi, ZYP



Rapiertstar StarTurn

- No Pre-drilling
- Superior Holding Power
- 50% Quicker Screw Penetration
- 50% Less Drive-in Torque Required

Ultimate Woodscrew. The award winning StarTurn is probably the most efficient universal screw available. The patented StarForm™ thread provides lower drive-in torque, quicker assembly times and exceptional holding power.

Quick Start

Rapidly penetrates Softwood, Hardwood, MDF, Chipboard, Plastics and Thin Sheet Metal.

Safe

Deep precision Pozi or StarDrive recess within the double countersunk head, improves grip and extends bit life.

Low Torque and reduced splitting

The patented StarForm™ thread lowers torque by up to 50% and reduces the risk of wood splitting – without pre-drilling.

Superior Plating

Unique plating process ensures long life, with a dry lubricant to make insertion even easier – increasing productivity in all applications.

JMC Code	Size	Tube Qty.	Barcode
091140040	4.0x40	1100	5055159021418
091140050	4.0x50	800	5055159021425
091150050	5.0x50	500	5055159021432
091150080	5.0x80	350	5055159021449
091150100	5.0x100	250	5055159021456

JMC Code	Size	Qty.	Driver Bit Size	Barcode
090030012	3.0x12	200	No.1	5055017506996
090030016	3.0x16	200	No.1	5055017507009
090030020	3.0x20	200	No.1	5055017507016
090030025	3.0x25	200	No.1	5055017507023
090030030	3.0x30	200	No.1	5055017507030
090030040	3.0x40	200	No.1	5055017507054
090035012	3.5x12	200	No.2	5055017507061
090035016	3.5x16	200	No.2	5055017507078
090035020	3.5x20	200	No.2	5055017507085
090035025	3.5x25	200	No.2	5055017507092
090035030	3.5x30	200	No.2	5055017507108
090035040	3.5x40	200	No.2	5055017507122

JMC Code	Size	Qty.	Driver Bit Size	Barcode
090035050	3.5x50	200	No.2	5055017507146
090040016	4.0x16	200	No.2	5055017507160
090040020	4.0x20	200	No.2	5055017507177
090040025	4.0x25	200	No.2	5055017507184
090040030	4.0x30	200	No.2	5055017507191
090040035	4.0x35	200	No.2	5055017507207
090040040	4.0x40	200	No.2	5055017507214
090040050	4.0x50	200	No.2	5055017507238
090040060	4.0x60	200	No.2	5055017507252
090040070	4.0x70	200	No.2	5055017507269
90040080	4.0x80	200	No.2	5055159001281
090045020	4.5x20	200	No.2	5055017507276
090045025	4.5x25	200	No.2	5055017507283
090045030	4.5x30	200	No.2	5055017507290
090045035	4.5x35	200	No.2	5055017507306
090045040	4.5x40	200	No.2	5055017507313
090045050	4.5x50	200	No.2	5055017507337
090045060	4.5x60	200	No.2	5055017507351
090045070	4.5x70	200	No.2	5055017507368
090045080	4.5x80	200	No.2	5055017507375
090050025	5.0x25	200	No.2	5055017507399
090050030	5.0x30	200	No.2	5055017507405
090050040	5.0x40	200	No.2	5055017507429
090050045	5.0x45	200	No.2	5055159001502
090050050	5.0x50	200	No.2	5055017507443
090050060	5.0x60	200	No.2	5055017507467
090050070	5.0x70	200	No.2	5055017507474
090050080	5.0x80	100	No.2	5055017507481
090050090	5.0x90	100	No.2	5055017507498
090050100	5.0x100	100	No.2	5055017507504
090060040	6.0x40	200	No.3	5055017507511
090060050	6.0x50	200	No.3	5055017507535
090060060	6.0x60	100	No.3	5055017507542
090060070	6.0x70	100	No.3	5055017507559
090060080	6.0x80	100	No.3	5055017507566
090060090	6.0x90	100	No.3	5055017507573
090060100	6.0x100	100	No.3	5055017507580
090060120	6.0x120	100	No.3	5055017507610
090060150	6.0x150	100	No.3	5055017507634
090060180	6.0x180	100	No.3	5391193246524
090060200	6.0x200	100	No.3	5391193246524

Universal Woodscrew - Countersunk Pozi, Zinc



**Rapier®
StarTurn**

JMC Code	Size	Qty.	Barcode
091030020	3.0x20	200	5055159000123
091035030	3.5x30	200	5055159000352
091040016	4.0x16	200	5055159000505
91040020	4.0x20	200	5055159000543
091040025	4.0x25	200	5055159000581
091040030	4.0x30	200	5055159000642

JMC Code	Size	Qty.	Barcode
091040040	4.0x40	200	5055159000727
091040050	4.0x50	200	5055159000802
091040060	4.0x60	200	5055159000857
091040070	4.0x70	200	5055159000888
091040080	4.0x80	200	5055159000932
091045025	4.5x25	200	5055159000963
091045030	4.5x30	200	5055159001007
091045040	4.5x40	200	5055159001083
091045050	4.5x50	200	5055159001168
091050025	5.0x25	200	5055159001342
091050030	5.0x30	200	5055159001380
091050040	5.0x40	200	5055159001472
091050050	5.0x50	100	5055159001557
091050060	5.0x60	100	5055159001588
091050080	5.0x80	100	5055159001670
091050100	5.0x100	100	5055159001335
091060040	6.0x40	200	5055159001816
091060050	6.0x50	200	5055159001854
091060060	6.0x60	200	5055159001892
091060080	6.0x80	100	5055159001977
091060100	6.0x100	100	5055159001762

Exterior Decking Screw



**Rapier®
StarDeck**



JMC Code	Size	Qty.	Barcode
807050500	4.5x50	200	5055159002509
807060500	4.5x65	200	5055159002516
807070500	4.5x75	200	5055159002523
807080500	4.5x90	200	5055159010962

- No Pre-drilling
- Superior Holding Power
- 50% Less Drive-in Torque Required
- Exceptional Corrosion Resistance

Extreme Performance

The award winning StarDeck is probably the most efficient weather resistant, exterior screw available. The patented StarForm™ thread provides up to 50% lower drive-in torque, enabling quicker assembly times with exceptional holding power – all without pre-drilling!

Long Life – No Staining

High tech StarCoat™ protection extends corrosion resistance in the toughest environments, including ACQ (alkaline copper quaternary) and other treated timber.

Quick Start

Sharp point for a quick start, rapidly penetrating into all wood types, including hardwood, treated softwood or wood composites.

Safe

The precision StarDrive™ recess improves grip when using power tools and drives into even the hardest wood, without mechanical damage.

No Splitting

The patented StarForm™ thread lowers torque and reduces wood splitting.

Flush Finish

The ribbed countersunk bugle head sinks into all timber ensuring a flush finish – effortlessly.

Woodscrew - S/S Countersunk, Pozi Head



JMC Code	Size	Qty.	Barcode
602030016	3x16	200	5391193302282
602030020	3x20	200	5391193302299
602030025	3x25	200	5391193302305
602035016	3.5x16	200	5391193302336
602035020	3.5x20	200	5055017525683
602035025	3.5x25	200	5055017526314
602035030	3.5x30	200	5055017525690
602035040	3.5x40	200	5055017526321
602040012	4x12	200	5391193302381
602040016	4x16	200	5391193302398

JMC Code	Size	Qty.	Barcode
602040020	4x20	200	5055017526345
602040025	4x25	200	5055017526352
602040030	4x30	200	5055017526369
602040040	4x40	200	5055017526376
602040050	4x50	200	5055017526383
602040060	4x60	200	5055017525751
602040070	4x70	200	5055017525768
602045030	4.5x30	200	5055017525782
602045040	4.5x40	200	5055017525799
602045050	4.5x50	200	5055017525805
602045060	4.5x60	200	5391193302534
602045080	4.5x80	200	5391193302558
602050016	5x16	200	5391193302565
602050020	5x20	200	5391193302572

JMC Code	Size	Qty.	Barcode
602050025	5x25	200	5055017526390
602050030	5x30	200	5055017526406
602050040	5x40	200	5055017526413
602050050	5x50	200	5055017526420
602050060	5x60	100	5055017526437
602050070	5x70	100	5055017526444
602050080	5x80	100	5055017526451
602050090	5x90	100	5391193302688
602050100	5x100	100	5055017526468
602060040	6x40	200	5055017526475
602060050	6x50	200	5055017526482
602060060	6x60	200	5055017527885
602060070	6x70	100	5055017526499
602060080	6x80	100	5391193222894
602060100	6x100	100	5391193222900
602060120	6x120	100	5391193302824

Countersunk Slotted Brass Woodscrew



JMC Code	Size	Qty.	Barcode
092120254	12" x 1"	100	5391193242526
092120318	12" x 1 1/4"	100	5391193246753
092120508	12" x 2"	100	5391193242540
092120635	12" x 2 1/2"	100	5391193249990
092120763	12" x 3"	100	5055017505340

Decking Screw, Square Head, Green Organic



JMC Code	Size	Qty.	Barcode
807045050	4.5x50mm	200	5055017530205
807045060	4.5x60mm	200	5055017530212
807045070	4.5x70mm	200	5055017530229
807045080	4.5x80mm	200	5055017530236

Black Jax Screw



JMC Code	Size	Qty.	Driver Drill Bit	Barcode
095006003	3.5x20	200	No.2	5055017506064
Countersunk Option				
095104020	4.0x20	200	No.2	5391193251139
095104030	4.0x30	200	No.2	5055017556793
095104040	4.0x40	200	No.2	5055017556809

- For general applications into softwoods and various types of hardwood
- Designed and manufactured to BS 1210 standards - major diameter and threads excepted
- 25° sharp point and single leading thread for a fast start and improved thread acceptance
- 60° twin-threads with parallel shank for faster insertion and greater pull out resistance
- Large core diameter for extra strength
- Surface hardened up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility
- Plated in zinc to a minimum of 7.5 microns and black passivated
- Made from C10-18 steel to ensure consistent quality
- Double countersunk reduces the likelihood of head shear and assists completion of countersinking
- Full batch-traceability to the original steel mill certificate

Self Tapping Countersunk Pozi Screw



JMC Code	Size	Qty.	Barcode
130004127	4 x 1/2	-	5391193251269
130006127	6 x 1/2	-	5391193251283
130006318	6 x 1 1/4	-	5391193251306
130008127	8 x 1/2	200	5391193251313
130008191	8 x 3/4	100	5055017515844

JMC Code	Size	Qty.	Barcode
130008254	8 x 1	100	5055017515851
130008318	8 x 1 1/4	100	5055017515868
130008508	8 x 2	200	5391193243899
130010191	10 x 3/4	200	5391193251344
130010254	10 x 1	100	5055017515936
130010318	10 x 1 1/4	100	5055017515943
130010381	10 x 1 1/2	100	5055017515950
130012254	12 x 1	100	5391193246968

Self Tapping Pan Head Pozi Screw



JMC Code	Size	Qty.	Barcode
135004095	4"x3/8"	200	5391193247002
135004127	4"x1/2"	200	5391193247019
135004159	4"x5/8"	200	5391193247026
135004191	4"x3/4"	200	5391193247033
135004254	4"x1"	200	5391193247040
135006127	6"x1/2"	200	5391193247057
135006159	6"x5/8"	200	5391193247064
135006191	6"x3/4"	200	5391193247071

JMC Code	Size	Qty.	Barcode
135006254	6"x1"	200	5391193247088
135006318	6"x1 1/4"	200	5391193247095
135006319	6"x1 1/2"	200	5391193247101
135008127	8"x1/2"	200	5391193247118
135008159	8"x5/8"	200	5391193247125
135008191	8"x3/4"	200	5391193247132
135008254	8"x1"	200	5391193247149
135008318	8"x1 1/4"	200	5391193247156
135008381	8"x1 1/2"	200	5391193247163
135008508	8"x2"	200	5391193247170
135010127	10"x1/2"	200	5391193247187
135010159	10"x5/8"	200	5391193247194
135010191	10"x3/4"	200	5391193247200
135010254	10"x1"	200	5391193247217

JMC Code	Size	Qty.	Barcode
135010318	10"x1 1/4"	200	5391193247224
135010381	10"x1 1/2"	200	5391193247231
135010508	10"x2"	200	5391193247248
135012127	12"x1/2"	200	5391193247255
135012159	12"x5/8"	200	5391193247262
135012191	12"x3/4"	200	5391193247279
135012254	12"x1"	200	5391193247286
135012318	12"x1 1/4"	200	5391193247293
135012381	12"x1 1/2"	200	5391193247309
135012508	12"x2"	200	5391193247316
135014253	14"x3/4"	200	5391193247323
135014254	14"x1"	200	5391193247330
135014318	14"x1 1/4"	200	5391193247347
135014381	14"x1 1/2"	200	5391193247354
135014400	14"x1 3/4"	200	5391193247361
135014508	14"x2"	200	5391193247378

Hex Head Coach Screw DIN 571, BZP



JMC Code	Size	Qty.	Barcode
110006040	M6x40	200	5391193102967
110006050	M6x50	200	5391193102974
110006060	M6x60	100	5391193102981
110006070	M6x70	100	5391193102998
110006075	M6x75	100	5391193232558
110006080	M6x80	100	5391193103186
110006100	M6x100	100	5391193103001
110008030	M8x30	100	5391193243417

JMC Code	Size	Qty.	Barcode
110008040	M8x40	200	5391193103018
110008050	M8x50	200	5391193103025
110008060	M8x60	100	5391193103032
110008070	M8x70	100	5391193103049
110008080	M8x80	100	5391193103056
110008100	M8x100	100	5391193103063
110008120	M8x120	50	5391193192289
110008130	M8x130	50	5391193103193
110010040	M10x40	100	5391193103216
110010050	M10x50	100	5391193103070
110010060	M10x60	100	5391193103087
110010070	M10x70	100	5391193103094
110010080	M10x80	50	5391193103100
110010100	M10x100	50	5391193103117
110010110	M10x110	50	5391193251146

JMC Code	Size	Qty.	Barcode
110010130	M10x130	50	5391193103223
110010150	M10x150	50	5391193103247
110010160	M10x160	50	5391193243509
110010180	M10x180	50	5391193103274
110010200	M10x200	50	5391193192784
110012050	M12x50	100	5391193103230
110012060	M12x60	50	5391193103124
110012070	M12x70	50	5391193103131
110012080	M12x80	50	5391193103148
110012090	M12x90	50	5391193243530
110012100	M12x100	50	5391193103155
110012120	M12x120	50	5391193192630
110012130	M12x130	50	5391193103162
110012150	M12x150	50	5391193103179
110012180	M12x180	25	5391193192647
110012200	M12x200	25	5391193192296
110016100	M16x100	25	5391193244049

Drywall Screws



TECHNICAL INFORMATION

All drywall fastenings should be driven straight and the heads should be set slightly below the plane of the surface. Once inserted the screw should be sealed and taped to avoid any contact with wet plaster or plaster board lime.

- Manufactured to JIS B1125 (1995) and independently tested to IFI specification ASTM C1002-89
- 25° 'Super Sharp' (SS) point for ease penetration
- 60° thread
- surface hardened up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility
- Made from C10-18 steel
- Cosmetically plated in either zinc or black phosphate
- Full batch-traceability to the original steel mill certificate
- Designed to pierce and drill into 0.9mm of metal channel. For large gauge channel self-drilling drywall screws are recommended
- Fully threaded up to 50mm, partially threaded thereafter

Allgrip Drywall Screws, Fine Thread

JMC Code	Size	Qty.	Barcode
586009000	100mm	-	5391193101151
586035025	3.5 - 25mm	-	5391193101168
586035032	3.5 - 32mm	-	5391193101175
586035038	3.5 - 38mm	-	5391193249877
586035042	3.5 - 42mm	-	5391193246074
586035050	3.5 - 50mm	-	5391193238239
586035060	3.5 - 60	-	5391193238246
586035075	3.5 - 75	-	5391193101182

Allgrip Collated Drywall Screws, Coarse Thread

JMC Code	Size	Qty.	Barcode
587025000	3.9x25mm	1000	5391193101205
587035000	3.9x35mm	1000	5391193101212
587038000	3.9x38mm	1000	5391193101229
587045000	3.9x45mm	1000	5391193101236
587050000	3.9x50mm	1000	5391193101243
587055000	3.9x55mm	1000	5391193101250
587075000	4.2x75mm	500	5391193104008
Fine Thread			
587058000	3.9x35mm	1000	5391193238734
587059000	3.9x38mm	1000	-
587060000	3.9x50mm	1000	5055017549856

Phillips Bugle Head, Fine Thread

JMC Code	Size	Qty.	Barcode
5860442125	4.8x25mm	100	5391193301254

Phillips Bugle Head, Coarse Thread

JMC Code	Size	Qty.	Barcode
5861035025	3.5x25mm	1000	5391193238642
5861035032	3.5x32mm	1000	5028485019626
5861035038	3.5x38mm	1000	5028485019664
5861035042	3.5x42mm	1000	5028485019701
5861035050	3.5x50mm	1000	5028485019763
5861035060	3.5x60mm	500	5391193238659
5861042075	4.2x75mm	500	5391193238666
5861042090	4.2x90mm	500	5391193301285
5861042100	4.2x100mm	500	5391193238673
5861048125	4.8x125mm	500	5391193301285
5861048150	4.8x150mm	500	5391193238673

Self Drilling Drywall Screws

JMC Code	Size	Qty.	Barcode
586235032	3.5x32mm	1000	5391193238680
586235038	3.5x38mm	1000	5391193248511
586235042	3.5x42mm	1000	-
586239065	3.9x50mm	1000	5391193238710

Wafer Head Screws

JMC Code	Size	Qty.	Barcode
131009016	4.2x13mm Self Drill	1000	5391193104688
131009017	4.2x13mm Sharp Point	1000	5391193202377



Stitcher Screw, Hex Head

JMC Code	Size	Qty.	Barcode
143014022	14g (6.3)x22	100	5391193102936



Self Drilling Tex Screws With Washer

For Steel

JMC Code	Size	Qty.	Barcode
141012020	12g (5.5)x20	100	5391193102240
141012025	12g (5.5)x25	100	5391193102226
141012032	12g (5.5)x32	100	5391193103810
141012038	12g (5.5)x38	100	5391193102875
141012045	12g (5.5)x45	100	5391193103414
141012051	12g (5.5)x51	100	5391193102899
141012057	12g (5.5)x57	100	5391193102905
141012065	12g (5.5)x65	100	5391193104787
141012066	12g (5.5)x65	100	5391193192654
141012085	12g (5.5)x85	100	5391193102912
141012100	12g (5.5)x100	100	5391193102080
141012120	12g (5.5)x120	100	5391193192302
141012150	12g (5.5)x150	100	5391193103834



GENERAL USES

It provides an easy and convenient alternative to using roof screws and self tapping screws when fixing metal sheets to metal or wooden fixtures or structures

FEATURES

- Drill bit shaped point, so noneed to pre drill holes

For Timber

JMC Code	Size	Qty.	Barcode
141014025	14g (6.3)x25	100	5391193102943
141014032	14g (6.3)x32	100	5391193102950
141014045	14g (6.3)x45	100	5391193102219
141014060	14g (6.3)x60	100	5391193103421
141014075	14g (6.3)x75	100	5391193102196
141014100	14g (6.3)x100	100	5391193102202
141014126	14g (6.3)x125	100	5391193102097
141014160	14g (6.3)x160	100	5391193102103
141014175	14g (6.3)x175	100	5391193195631

Self Drilling Hex Head Light Duty Screws (no washer)



JMC Code	Size	Qty.	Barcode
141010016	no.10gx16	100	5391193102233
141010019	no.10gx19	100	5391193103803
141010026	no.10gx25	100	5391193202445
141012021	no.12gx25	100	5391193202452

Self Drilling Hex Head Heavy Duty Tex Screws



JMC Code	Size	Qty.	Barcode
140012022	no.12g (5.5) x 22	100	5391193102110
140012038	no.12g (5.5) x 38	100	5391193102127
140012050	no.12g (5.5) x 50	100	5391193102134
140012075	no.12g (5.5) x 75	100	5391193102141
140012100	no.12g (5.5) x 100	100	5391193102158

Self Drilling Countersunk Winged Timber Tex Screws



JMC Code	Size	Qty.	Barcode
141010025	no.10gx25	100	5391193102035
141010038	no.10gx38	100	5391193102042
141012050	no.12gx50	100	5391193102059
141012060	no.12gx60	100	5391193102066
141012086	no.12gx85	100	5391193102073

Multi-purpose Masonry Screws



JMC Code	Size	Qty.	Barcode
105075040	7.5x40mm	100	5391193243356
105075060	7.5x60mm	100	5391193251030

JMC Code	Size	Qty.	Barcode
105075080	7.5x80mm	100	5391193243363
105075100	7.5x100mm	100	5391193251047
105075120	7.5x120mm	100	5391193243370
105072132	7.5x132mm	100	5391193251016
105075150	7.5x150mm	100	5391193251054
105075180	7.5x180mm	50	5391193243387

Stud Screw

JMC Code	Size	Qty.	Barcode
063006050	M6x50	100	5391193201547
063006060	M6x60	100	5391193201554
063006080	M6x70	100	5391193201561



JMC Code	Size	Qty.	Barcode
063008050	M8x50	100	5391193201585
063008070	M8x70	100	5391193201592
063008090	M8x90	100	5391193201608
063010100	M10x100	50	5391193201639
063010140	M10x140	50	5391193201646

Pop Rivets

JMC Code	Size	Qty.	Barcode
120032010	3.2x10	100	5391193102301
120032011	3.2x12	100	5391193102271
120032014	3.2x14	100	5391193103766
120032018	3.2x18	100	5391193243684
120040010	4.0x10	100	5391193103773
120040012	4.0x12	100	5391193102288



JMC Code	Size	Qty.	Barcode
120048010	4.8x10	100	5391193103780
120048011	4.8x12	100	5391193102257
120048014	4.8x14	100	5391193102295
120048016	4.8x16	100	5391193102264
120048020	4.8x20	100	5391193103940
120048025	4.8x25	100	5391193243707
120048030	4.8x30	100	5391193246050
120064026	6.4x26	100	5391193104960

Wide Flanged Rivets



JMC Code	Size	Qty.	Barcode
120048116	4.8x16	100	5391193103957
120048120	4.8x20	100	5391193103285
120048124	4.8x24	100	5391193243721

Split Pins

JMC Code	Size	Qty.	Barcode
560SPS100	3/16x11/2"	250	5391193222221
560SPS102	3/16x2"	250	5391193222238
560SPS116	1/4x11/2"	250	5391193222283
560SPS118	1/4x2"	250	5391193222306
560SPS120	1/4x21/2"	250	5391193222313
560SPS122	1/4x4"	250	5391193222337



JMC Code	Size	Qty.	Barcode
560SPS124	5/16x11/2"	100	5391193222351
560SPS128	5/16x21/2"	100	5391193222375
560SPS129	5/16x3"	100	5391193222382
560SPS130	5/16x4"	100	5391193222399
560SPS134	3/8x2"	100	5391193222429
560SPS137	3/8x3"	100	5391193222436
560SPS138	3/8x4"	100	5391193222443

Sanitary Fix Screws



JMC Code	Size	Qty.	Barcode
104008100	M8x100	50	5391193246913
104010100	M10x100	50	5391193243325
104010120	M10x120	50	5391193250996
104010140	M10x140	50	5391193243332

Mirror Screws and Caps

JMC Code	Size	Qty.	Barcode
Brass			
087130000	11/4"	100	5391193242069
087150000	2"	100	5391193242083



JMC Code	Size	Qty.	Barcode
Chrome			
087025000	1"	100	5028485610038
087030000	11/4"	100	5028485610052
087040000	11/2"	100	5028485610076
087050000	2"	100	5028485610090

Hinged Cover Caps

JMC Code	Colour	Qty.	Barcode
361000001	Large white	500	5391193218873
361000002	Large brown	500	5391193218880
361000003	Large black	500	5391193218897



JMC Code	Colour	Qty.	Barcode
362001000	White	1000	5391193218903
362002000	Brown	1000	5391193218910
362003000	Black	1000	5391193218927
362006000	Grey	1000	5391193218958

Pozi Cover Caps

JMC Code	Colour	Qty.	Barcode
363001000	White	1000	5391193218965
363003000	Black	1000	5391193218989



Tex Cover Caps

JMC Code	Size/Colour	Qty.	Barcode
144001000	16mm Black	100	5391193202544
144002000	16mm White	100	5391193202551
144003000	16mm Blue	100	5391193202568
144004000	16mm Red	100	5391193202575



JMC Code	Size/Colour	Qty.	Barcode
144005000	16mm Merlin grey	100	5391193202582
144006000	16mm Vandyke	100	5391193202599
144007000	16mm Goosewing grey	100	5391193202605
144008000	16mm Jade	100	5391193202612
144009000	16mm Olive	100	5391193202629
144009012	19mm Juniper	100	5391193247439

Screw Eyes, ZP

JMC Code	Size	Qty.	Barcode
081004025	G4x25	50	5028485700012
081006030	G6x30	50	5028485700036
081008035	G8x35	50	5028485700050



JMC Code	Size	Qty.	Barcode
081008040	G8x40	50	5028485700074
081010045	G10x45	50	5028485700098
081012055	G12x55	50	5028485700111
081014065	G14x65	50	5028485700128
081018075	G18x75	50	5028485700142

Screw Hooks, ZP

JMC Code	Size	Qty.	Barcode
082003025	G3x25	10	5391193242175
082004025	G4x25	50	5391193242182
082006040	G6x40	10	5391193242229



JMC Code	Size	Qty.	Barcode
082008055	G8x55	50	5028485710011
082010060	G10x60	50	5028485710035
082012080	G12x80	50	5028485710059
082018075	G18x75	50	5391193242137
082018100	G18x100	50	5028485710073

Electrical Socket Screws



JMC Code	Size	Qty.	Barcode
556035040	M3.5x40	100	5391193221989
556035050	M3.5x50	100	5391193221996
556035075	M3.5x75	100	5391193222009
556135050	M3.5x50	100	5391193222016

Magnetic Bit Holder

JMC Code	Description	Barcode
145000000	5/16" AF Hex Tek Driver - 1/4" Shank	5391193104671
146000000	1/4" Magnetic Bit Holder 50mm long	5391193104817

